

## Techtop Industries Nameplate and Performance Data

| NAMEPLATE DATA                             |             |         |
|--|-------------|---------|
|  | 60 Hz       | 50 Hz   |
| Horsepower                                 | 3.0         | 3.0     |
| Frame Size                                 | L56HC       |         |
| Speed, RPM                                 | -           | -       |
| Voltage                                    | 208-230/460 | 190/380 |
| # Phase                                    | 3           |         |
| Full Load Amps                             | -           | -       |
| Power Factor                               | -           | -       |
| Nominal Efficiency                         | -           | -       |
| 3/4 Load Efficiency                        | -           | -       |
| Service Factor                             | -           | 1.0     |
| Duty                                       | Cont. / S1  |         |
| FL Temp Rise °C                            | -           | -       |
| Enclosure                                  | TEFC        |         |
| Ambient Temp °C                            | 40          |         |
| KVA Code                                   | -           | -       |
| FL Amps. @ 208 V                           | -           | -       |
| Insulation Class                           | F           |         |
| NEMA Design                                | B           |         |
| Weight                                     | -           |         |
| DE Bearing                                 | 6205ZZ      |         |
| NDE Bearing                                | 6205ZZ      |         |
| dB No-Load                                 | -           |         |
| Rotor Wk <sup>2</sup> , Lb-Ft <sup>2</sup> | -           |         |
| Start Capacitor                            | -           |         |
| Start Capacitor V                          | -           |         |
| Run Capacitor                              | -           |         |
| Run Capacitor V                            | -           |         |
| Number of Leads                            | 9           |         |
| Connection                                 | YY/Y        |         |
| Coil Resistance                            | -           |         |

|                     |                               |
|---------------------|-------------------------------|
| <b>Motor Model:</b> | <b>GR3-AL-TF-56HC-4-B-D-3</b> |
|---------------------|-------------------------------|

Performance Load Values:

| % Load | Horsepower | Current, Amps | Input power, Kilowatts | Speed, RPM | Efficiency | PF |
|--------|------------|---------------|------------------------|------------|------------|----|
| 0      | -          | -             | -                      | -          | -          | -  |
| 25     | 0.75       | -             | -                      | -          | -          | -  |
| 50     | 1.5        | -             | -                      | -          | -          | -  |
| 75     | 2.25       | -             | -                      | -          | -          | -  |
| 100    | 3.0        | -             | -                      | -          | -          | -  |
| 125    | 3.75       | -             | -                      | -          | -          | -  |
| 150    | 4.5        | -             | -                      | -          | -          | -  |
| SF     | -          | -             | -                      | -          | -          | -  |

|                     | Torque, Lb-Ft | % Full Load Torque | Speed, RPM | Current Amps. |
|---------------------|---------------|--------------------|------------|---------------|
| Locked Rotor Torque | -             | -                  | -          | -             |
| Pull Up Torque      | -             | -                  | -          | -             |
| Breakdown Torque    | -             | -                  | -          | -             |
| Full Load           | -             | 100.0              | -          | -             |

### Speed Torque Curve

Please contact Techtop for image.

### Dimensional Drawing

Please contact Techtop for image.

Dimensions are for reference only. Allowance should be made for minor deviations in non standard specified properties.

3D Image Link: Not available for this motor